

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://zumex.nt-rt.ru> || zxe@nt-rt.ru

Healthy business innovation

General catalogue 2021

business



innovation

Hello, healthy future

At Zumex we believe in a healthier world. Therefore, to improve the **people's nutritional well-being** we have **35 years' experience** in designing and manufacturing juicing solutions.



Your strategic partner in developing your juice business



35 years

+ 100 countries

3 lines of business

Foodservice & Retail
Automatic citrus juicers and commercial juicers for the catering, hotel and retail industries.

Vending
Vending solutions for freshly squeezed juice anywhere.

Food Engineering
Customised engineering projects to supply industrial-scale fruit and vegetable juicing solutions.

6 subsidiaries

Spain
Headquarters
France
Deutschland
United Kingdom
North America
México

Zumex is good for you




Zumex Service provides **the best warranty and technical assistance with worldwide cover.**

We invest heavily in the design and innovation of our solutions so we can deliver the best freshly squeezed juice.




Our track record has made us world leaders in automatic juicers for food service and retail.



**1
Design**

**2
Innovation**


**3
Technology**



Antibacterial
nanotechnology

Certified hygiene. Our antibacterial technology, based on silver ions, **inhibits the growth** of any bacteria effectively and durably.

ASP®



Rotating system



Accurate, clean cut



Optimal performance

The heart of our juicers has become the core of **our success** and that of our customers.

Our system **provides optimal juice output and premium quality juice**, ensuring no juice comes into contact with the peel thus preventing the essential oils and acid it contains from contaminating it.

Original System®

Experts in citrus, pomegranates and multifruit juices

At Zumex we have a wide range of juicing kits that allow you to be versatile in your business and offer the best juice instantly.

CITRUS
Original System®



Juice all your citrus fruit with our extraction kits.



S 1Step Kit 45-67 mm
Limes | Lemons | Oranges

M 1Step Kit 65-81 mm
Lemons | Oranges | Grapefruit

L 1Step Kit 75-95 mm
Lemons | Oranges | Grapefruit

POMEGRANATES
Original System®



Pomegranates S Kit 65-85 mm
Pomegranates

Pomegranates M Kit 75-95 mm
Pomegranates

CITRUS
Conical System®



*See technical specifications


Squeeze all citrus with our squeezing kits.

S Kit 45-65 mm
Lemons* | Limes | Tangerines

M Kit 64-81 mm
Lemons* | Oranges

XS Kit 42-52 mm
Limes

MULTIFRUIT
TITANIUM
powered by ZUMEX®



Juices all fruit and vegetables.

Titanium shredding disc

Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)

Zumex design

Premium design inside and out for maximum efficiency and functionality, so the juicing process flows smoothly from start to finish, from fruit to juice.

Eye-catching lines

Avant-garde lines and finishes, and robust, premium quality materials.



Tritan BPA/BPS free



Materials from another world. Our covers are made out of tritan. This safe, resistant, lightweight material is perfect for food contact requirements and provides transparency in the juicing process.



Our juicers hold the most stringent international certificates for hygienic performance and ease of cleaning, helping you to obtain the HACCP certificate.



Sure of ourselves. We lead the industry and are confident that our products are reliable. That's why we offer an extended five-year warranty.

Zumex Smart Juicing Technology

The power of data now
in your commercial juicer.




Using the Smart Juicing technology incorporated in our new generation of commercial juicers, you will be able to remotely manage your juice business.

- Remote asset control
- Real-time information
- Procedure improvement and productivity increase
- Management of key performance indicators
- Monitoring of machine operation for preventive maintenance



Digital transformation
reaches the
world of juice



Smart juicers.



COUNTERTOP SMART JUICERS

ALL-IN-ONE SMART JUICERS



Soul Series 2

Smart Essential Pro

Smart New Versatile Pro

Smart Speed S *plus

Smart Speed Up



Smart New Versatile Pro All-in-One

Smart Speed S *plus All-in-One

Smart Speed Up All-in-One

Smart Juicing technology marks a leap forward in the juicing world.

We digitise all machine parameters in order to maximise the return on your investment.



Sales Tracking



Absolute Control



Maximum Productivity



Real-time information



100% Connected



Anytime




Anywhere



Geolocation

SQUEEZED FRUITS BY DAY



2.600

Average squeezed fruits per machine

The winner is... natural, healthy juice

Freshly squeezed juice has established itself as a new category, making it easier for everyone to enjoy fruit in a **simple, healthy and fun way**.



Easy and transparent


From fruit to juice
in an instant

Zumex's juicing
process preserves all
the flavour and
nutritional properties
of fruit, naturally.

The "Five-a-day Association"
recommends drinking **a glass of juice
every day** (150-200 ml) together with
another **four servings** of a variety of fruit
and vegetables.



Evolution of juice category



*European Fruit Juice Association (AIJN) Report.

The concept of **healthy eating** is a **constant** for people and businesses today.



A 100 ml glass of juice provides the recommended daily intake of vitamin C for children aged 4 to 13.

Premium professional juicing solutions



Countertop models

MULTIFRUIT

CITRUS

Multifruit

Soul Series 2 ^N

Minex

Essential Pro
Smart Essential Pro

Versatile Pro

New Versatile Pro ^N
Smart New Versatile Pro ^N

Versatile Pro
Cashless

Speed Pro Basic

Speed Up
Smart Speed Up ^N

Speed S ^{+plus}
Smart Speed S ^{+plus} ^N

All-in-One models



POMEGRANATES

CITRUS

Speed
Pomegranates

Versatile Pro
All-in-One

New Versatile Pro
All-in-One ^N
Smart New
Versatile Pro All-in-One ^N

Versatile Pro
All-in-One
Cashless

Speed Pro
Cooler

Speed Up All-in-One
Smart Speed Up All-in-One ^N

Speed S ^{+plus} All-in-One
Smart Speed S ^{+plus} All-in-One ^N

Speed S ^{+plus} Tank
All-in-One



Juicing solutions for supermarkets, convenience stores, bakeries, hotels, juice bars, cafés, restaurants and a whole range of other businesses looking to add freshly squeezed juice to the options on offer.

MULTIFRUIT


Power to the healthy!

Zumex's iconic commercial juicer is perfectly equipped to work hard and deliver **outstanding performance** in juicing all fruit and vegetables from apples, kiwis and pineapples to carrots, cucumber, celery and ginger.

- ① **EXCELLENT PERFORMANCE**
- ② **24-HOUR, NON-STOP SERVICE**
- ③ **HEAVY-DUTY**
- ④ **FAST AND SILENT**
- ⑤ **NEVER-ENDING AUTONOMY WITH THE NEW COUNTERTOP KIT**



Multifruit is available in **five colours**



More hygienic tap with an improved grip and optimal flow.

The **brushless motor** is more powerful and can be used four times longer than a conventional motor. No friction. No heat release.

The **Speed Control System** maintains a constant speed, delivering extra power when needed.

Lowest energy consumption in its class.

Safety system. The machine stops the disc from turning if the juicer is opened.

Big personality, stylish finishes

Functional pusher
Broad 75 mm opening

TITANIUM
powered by ZUMEX®

Titanium shredding disc
Maximum shredding power and sharper cutting for longer for all fruit and vegetables

Easy Grip tap
with non-slip finish

Two speeds


The speed can be regulated according to the different fruit and vegetables.

SOFT FRUIT
3,500 rpm


HARD FRUIT
4,500 rpm




Efficient **centrifuging** and filtering


Silent block system prevents vibration


Rotating **non-drip tap**


High-capacity built-in waste bucket (13 litres)

Removable drip tray
Improved drip tray design

Technical specs

Fruit	Fruit and vegetables	Power	870 W 1.17 HP
Speed	3,500 rpm 4,500 rpm	Energy consumption	1.8 A
Fruit diameter	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	Protection against moisture	IPX1
Dimensions Width Depth Height	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	Safety	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay
Net weight	15 kg 33 lb	Sound pressure level	Below 70 dB
Voltage	220-240 V 50-60 Hz 115 V 60 Hz		



See accessories on page 49

NEW
SOUL
SERIES 2



The first smart juicer

The most compact commercial juicer on the market. It offers the **maximum innovation** in the smallest area and with the most authentic **style**.

- ① **ULTRA COMPACT**, MAXIMUM PERFORMANCE AND AUTONOMY
- ② **PROVIDES REAL-TIME PRODUCTIVITY AND PERFORMANCE DATA**
- ③ **CONICAL SYSTEM®** PRECISE CUTTING, MAXIMUM JUICE AND TASTE
- ④ **A 250ML JUICE IN 10"**



Small. Smart. Stylish

Much more than juice

Cocktails, mocktails, confectionery, dressings, sauces...

Maximum delicacy to obtain the highest performance from each citrus fruit.



Integrated waste container for easy disassembly and cleaning with a capacity of 7 L / 12-14 citrus fruits.

With Countertop Kit accessory for greater autonomy.

Soul Limes Special Edition for lime specialists.



Conical System®



Antibacterial technology




Tipo de consumo MEDIO

Discover the combinations of Soul Series 2



Special Edition



Juicing kits for all citrus fruits. Squeezes from 42 to 81 mm.

Push&Juice, with intuitive colour-coded warning button.

PulpOut System, automatic filter-sweeper to remove excess pulp and seeds.

1Step Case Out, clean and convenient juicing unit collection.

Technical specs



See accessories on page 49

*It is recommended to squeeze rounded and thin-skinned lemon varieties. Examples: Eureka, Lisbon, Meyer.


Fruit	Oranges, tangerines, limes, lemons*	Voltage	100-240 VAC 50-60Hz
Pieces of fruit per minute	M/S KIT: 18 fruits /min XS KIT: 36 fruits / min	Power	100 W 0.134 HP
Speed	1 juice in 10"	Energy consumption	0.4-3.4 A (100-130 VAC) 0.3-1.5 A (220-240 VAC)
Capacity	3-6 oranges 7-8 limes	Protection against moisture	IPX0
Fruit diameter	M KIT: 64 – 81 mm S KIT: 45 – 65 mm XS KIT: 42 – 52 mm	Sound pressure level	Less than 60 dB
Dimensions Width Depth Height	300 x 480 x 537 mm 11.8" x 18.9" x 21.1"	Safety	Micro switch on front opening and motor seizure sensor
Net weight	32 kg 71 lb	Connectivity	Wi-Fi

Minex

Zumex's eye-catching, mix-and-match juicer

With its **bold, cosmopolitan** design, Minex adds extra colour, zest and style to any bar or café.

- ① SMALLER FOOTPRINT
- ② BIG ON STYLE
- ③ NON-DRIP TAP
- ④ EASY TO DISASSEMBLE AND CLEAN
- ⑤ PUSH BUTTON SYSTEM
- ⑥ A 250ML JUICE IN 17"



Twelve colours to match the style of your business



Minex Colour Kits are also available as accessories

Clean, efficient and compact juicing system with **ASP® antibacterial** technology.

Two ways to serve juice with **self-service tap** or **built-in jug**.

Built-in waste bucket

Chameleon Style. Match your juicer to your premises with a choice of 12 different colours



Digital display and orange counter

 Compact and efficient

 Original System®

 ASP
Antibacterial technology

 Type of demand
MODERATE

Jug capacity:
750 ml

Technical specs

Pieces of fruit per minute	13 pieces of fruit per minute	Power	44 W 0.06 HP
Capacity	6 - 7 pieces of fruit	Energy consumption	0.2 A / 0.45 A
Fruit diameter	65 - 78 mm	Protection against moisture	IPX0
Dimensions Width Depth Height	383 x 368 x 712 mm 15.1" x 14.5" x 28"	Safety	Three safety devices and motor seizure sensor
Net weight	19.5 kg 43 lb	Jug capacity	750 ml (25.3 FL OZ)
Voltage	Multivoltage 220-240 V 50-60 Hz 100-115 V 50-60 Hz		

Essential Pro



The simplicity you need

Ideal for **all types of cafés** or premises where **simplicity** is essentially what matters most.

- ① PRACTICAL SIMPLICITY
- ② TOUCH CONTROL DIGITAL DISPLAY
- ③ 22 ORANGES PER MINUTE
- ④ EASY TO DISASSEMBLE AND CLEAN
- ⑤ A 250ML JUICE IN 10"



Original System®



Antibacterial technology



Type of demand MEDIUM

Essential Pro is available in **four colours**



Quick and easy juicing. Manual feeder with capacity for 4-5 pieces of citrus fruit.

Two operating modes

Self-service: the juice is served directly into the glass or jug.


Professional: the juicer starts up automatically when the citrus fruit is placed into the feeder.

Kit S for smaller citrus fruit, such as limes and lemons (45-67 mm).

User-friendly design



Feed and juice



Quality and food hygiene guaranteed



Display digital and orange counter

The **self-service** mode comes with a **non-drip tap** which also has a **special position** for automatic dispensing

Built-in waste buckets
See countertop kit accessory for continuous waste removal

Technical specs



See accessories on page 49

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Capacity	4 - 5 pieces of fruit	Power	300 W 0.40 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	Protection against moisture	IPX4
Net weight	45.5 kg 100 lb	Safety	Two safety devices and motor seizure sensor

Versatile Pro

All-round performance

From fruit to juice, Versatile Pro demonstrates its speed in **restaurants, cafés and hotels with high juice demands**, delivering a 250 ml serving of juice in just ten seconds.

- ① FAST SERVICE
- ② 22 PIECES OF FRUIT PER MINUTE
- ③ TOUCH CONTROL DIGITAL DISPLAY
- ④ PARTIAL AND TOTAL FRUIT COUNTER
- ⑤ EASY TO DISASSEMBLE AND CLEAN
- ⑥ A 250ML JUICE IN 10"



Original System®



Antibacterial technology



Type of demand HIGH

Versatile Pro is available in **four colours**



Two operating modes

Self-service: the juice is served directly into the glass or jug by pressing the tap.

Professional: the juice is served by selecting the exact number of pieces of fruit to be squeezed without having to push the tap. The tap must be in automatic dispensing mode.

Tap comes with Easy Press front push button and a special position for automatic dispensing.

Easy-to-use countertop model

Ultra-smooth, high-capacity **feeder system** (10 kg)

M 1Step Kit
For medium-sized citrus fruit (65-81 mm)

Accessory S 1Step Kit
For smaller citrus fruit, such as limes and lemons (45-67 mm)


Built-in waste buckets
See countertop kit accessory for continuous waste removal



Digital display
Choose operating mode



Change the juicing system in just one simple step



Quality and food hygiene guaranteed

Technical specs



See accessories on page 49

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Capacity	10 kg 22 lb	Power	380 W 0.51 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	480 x 550 x 855 mm 18.9" x 21.7" x 33.7"	Protection against moisture	IPX4
Net weight	54 kg 119 lb	Safety	Two safety devices and motor seizure sensor

Versatile Pro All-in-One

The most compact self-service juicer on the market

Its built-in feeder, easy operating mode and footprint of only 0.26 m² make it the ideal, most compact juicer on the market.

- ① FAST SERVICE
- ② 22 PIECES OF FRUIT PER MINUTE
- ③ TOUCH CONTROL DIGITAL DISPLAY
- ④ EASY TO DISASSEMBLE AND CLEAN
- ⑤ EASY BOTTLE-FILLING SYSTEM
- ⑥ A 250ML JUICE IN 10"



Original System®



Antibacterial technology



Type of demand HIGH

Versatile Pro is available in **four colours**



Orange

Silver

Graphite

Black

Self-service mode: the juice is served directly into the glass or jug by pressing the tap.

Tap comes with Easy Press front push button.

Thanks to the three interchangeable sizes, **the new bottle holder** adapts seamlessly to any type of bottle neck for easy, simple filling.

The **Waste limit** function helps to monitor the filling level of the waste trolley.

Podium model for retail environments



10 kg high-capacity feeder
Optional safety cover available

M 1Step Kit
For medium-sized citrus fruit (65-81 mm)

S 1Step Kit
For smaller citrus fruit, such as limes and lemons (45-67 mm)

30 cm maximum height for tall bottles


Bottle holder
Easier, quicker and cleaner to fill



Change the juicing system in just one simple step



Bottle holder



Quality and food hygiene guaranteed

Lightweight, hardwearing, wheeled podium
Built-in trolley holds up to 52 l of waste

Smallest footprint on the market – 0.26 m²

Technical specs



See accessories on page 49

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Feeder capacity	10 kg 22 lb	Power	380 W 0.51 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	480 x 550 x 1,660 mm 18.9" x 21.7" x 65.3"	Protection against moisture	IPX4
Net weight	87 kg 192 lb	Safety	Two safety devices and motor seizure sensor

NEW

PULPOUT SYSTEM

Versatile Pro

Full autonomy

The new Versatile Pro with **PulpOut System** is perfect for those businesses where **performance and speed** go hand in hand. This is the commercial juicer for cafes, supermarkets, self-service shops and hotels.



- ① THE FIRST GENERATION OF COMMERCIAL JUICERS WITH **SMART JUICING TECHNOLOGY**
- ② AUTOMATIC FILTERING FOR **GREATER AUTONOMY**. 150 KG NON-STOP PRODUCTION
- ③ **ULTRAFAST**. 250ML OF JUICE IN 10"
- ④ EASY TO DISASSEMBLE AND CLEAN
- ⑤ **A 250ML JUICE IN 10"**



Original System®



Antibacterial technology



Type of demand HIGH

New Versatile Pro is available in **four colours**



Orange

Silver

Graphite

Black

New PulpOut System. Four-phased automatic filtering process to obtain juice of the best quality and consistency.

60 L service with no cleaning needed. Easy to disassemble and dishwasher safe.

Self-service mode: the juice is served directly into the glass or jug by pressing the tap.

Tap comes with **Easy Press** front push button.

Bottle holder with 3 interchangeable couplers for a clean and direct filling.

Perfect for the Retail and Convenience sectors

16 kg of extra feeder capacity. With door to make the loading operation and safety closure easier.

Built-in waste buckets See countertop kit accessory for continuous waste removal.



M 1Step Kit For medium-sized citrus fruit (65-81 mm).

Accessory S 1Step Kit For smaller citrus fruit, such as limes and lemons (45-67 mm).

PulpOut System Automatic conveyor belt for pulp and seed removal, with maximum performance.

Bottle holder Cleaner, easier and quicker to fill.

Lightweight, hardwearing, wheeled podium. Built-in trolley holds up to 52 L of waste.


Smallest footprint on the market – 0.26 m².



Change the juicing system in just one simple step



Bottle holder



Quality and food hygiene guaranteed

Technical specs



See accessories on page 49

Pieces of fruit per minute	22 pieces of fruit per minute
Feeder capacity	16 kg 35 lbs
Fruit diameter	65 - 81 mm
Dimensions Width Depth Height	For individual model sizes, see page 59
Net weight	For individual model weights, see page 59

Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Power	380 W 0.51 HP 320 W 0.43 HP
Energy consumption	1.7 A / 2.7 A
Protection against moisture	IPX4
Safety	Two safety devices and motor seizure sensor

Versatile Pro Cashless

Add some zest to your office

Perfect for offices, business centres and self-service areas that would like to offer freshly squeezed juice to employees or customers.

- ① COMPACT, TOTALLY AUTOMATIC MACHINE
- ② NEW CASHLESS PAYMENT SYSTEM
- ③ USER-FRIENDLY
- ④ SECURITY GUARANTEED
- ⑤ A 250ML JUICE IN 10"



Original System®



Antibacterial technology



Type of demand HIGH

Versatile Pro Cashless is available in **two colours**



Black



Orange

Four different ways to pay, without the need for cash: contactless, chip, magnetic stripe and MIFARE.

The operator can set the exact number of pieces of fruit to be juiced.

Security guaranteed with a password that provides exclusive access to the operator. If the cover or the juice tank is opened, the machine stops serving.

The **Waste limit** function helps to monitor the filling level of the waste trolley.

Two models for the best juice

User-friendly panel with instructions

The user is taken through the steps to be followed during the juicing process

Built-in waste buckets

See countertop kit accessory for continuous waste removal



10 kg high-capacity feeder
Optional safety cover available

M 1Step Kit
For medium-sized citrus fruit (65-81 mm)


S 1Step Kit
For smaller citrus fruit, such as limes and lemons (45-67 mm)



Cashless payment system



Change the juicing system in just one simple step



Quality and food hygiene guaranteed

Lightweight, hardwearing, wheeled podium
Built-in trolley holds up to 52 l of waste

Technical specs



See accessories on page 49

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Feeder capacity	10 kg 22 lb	Power	380 W 0.51 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	For individual model sizes, see page 59	Protection against moisture	IPX4
Net weight	For individual model weights, see page 59	Safety	Two safety devices and motor seizure sensor

Speed Up

The freshest results with the coolest style

Ready to transform each juice corner into a truly **Fresh Place**. Speed Up brings a freshly squeezed juice service to your establishment with maximum performance.



- ① HIGH-CAPACITY FEEDER (20 KG)
- ② 40 PIECES OF FRUIT PER MINUTE
- ③ GROUNDBREAKING DESIGN
- ④ A 250ML JUICE IN 5"



Two models with superb autonomy



The quietest juicer of all



Quality and food hygiene guaranteed


High-capacity basket (20 kg)

Optional safety cover available

Intelligent Touch digital display



Speed Up



Speed Up All-in-One

- M Kit**
65 - 81 mm
- S Kit**
45 - 67 mm
- L Kit**
75 - 95 mm

Up tap 2Services
Non-continuous juice flow when the tap is pressed and continuous flow when the automatic dispensing mode is selected

Drip tray
with direct drain to the waste buckets

Resistant, lightweight podium
with a capacity of up to 100 litres, available in two finishes and two widths

See page 35 for more information



Original System®



Antibacterial technology



Type of demand VERY HIGH

Speed Up is available in **two colours**



Mirror

Black

Two operating modes

Automatic (Self-service): serves juice directly when the tap is pressed.

Professional: the operator can set the exact number of pieces of fruit to be juiced.

2Services tap with bottle holder available in three sizes: 34.4 mm, 36 mm and 38 mm.

PulpOut system: triple filtering with automatic conveyor belt to remove the pulp and optimise performance.

Technical specs



See accessories on page 49

Pieces of fruit per minute	40 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Fruit diameter	65 - 81 mm	Energy consumption	1.9 A / 2.7 A / 3.5 A
Dimensions Width Depth Height	For individual model sizes, see page 59	Protection against moisture	IPX4
Net weight	For individual model weights, see page 59	Safety	Two safety devices and motor seizure sensor

Speed S ⁺plus



The fastest, most robust juicer

The Speed S ⁺plus solves the **highest juice** demands quickly and easily.

- ① **1STEP KIT:** THE JUICE EXTRACTING KIT CAN BE REMOVED IN 10 SECONDS.
- ② **HIGH-CAPACITY FEEDER (20 KG)**
- ③ **40 PIECES OF FRUIT PER MINUTE**
- ④ **DRAIN&CLEAN** FOR EASIER FEEDER CLEANING
- ⑤ **A 250ML JUICE IN 5"**





Original System®



Antibacterial technology



Type of demand
VERY HIGH

Speed S ⁺plus is available in **two colours**



Two operating modes
Automatic (Self-service): serves juice directly when the tap is pressed. The Tank model dispenses until the juice reaches the maximum fill level.

Professional: the operator can set the exact number of pieces of fruit to be juiced, and in the Tank model, the filling level volume can also be set.

2Services tap with bottle holder available in three sizes: 34.4 mm, 36 mm and 38 mm.

Three models that adapt to you

Speed S ⁺plus
All-in-One

M 1Step Kit
65 - 81 mm


S 1Step Kit
45 - 67 mm

L 1Step Kit
75 - 95 mm

Two-position tray for serving juice in glasses or bottles, with direct drain to the waste buckets

Resistant, lightweight podium with a capacity of up to 100 litres, available in two finishes and two widths

For further information, see page 35



2Services tap
Non-continuous juice flow when the tap is pressed and continuous flow when the automatic dispensing mode is selected

Speed S ⁺plus
Tank All-in-One


Intelligent Touch digital display

PulpOut System
triple filtering with automatic conveyor belt to remove the pulp and optimise performance

Five-litre tank



The quietest juicer of all



Quality and food hygiene guaranteed

Speed S ⁺plus

Technical specs

Pieces of fruit per minute	40 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Fruit diameter	65 - 81 mm	Energy consumption	1.9 A / 2.7 A / 3.5 A
Dimensions Width Depth Height	For individual model sizes, see page 60	Protection against moisture	IPX4
Net weight	For individual model weights, see page 60	Safety	Three safety devices and motor seizure sensor



See **accessories** on page 49

Your customised solution

①

Choose your juicer: Speed Up o Speed S^{plus}

Check out all the options to adapt Speed to the style you are looking for.

②

Configure the solution that best suits your space

Wide or narrow podium with black or stainless steel finishes.

Give your juice corner an elegant and sophisticated, or robust and simple look.



Choose your podium according to your space and style



Black

Dare to go with the sleekest look



Mirror

Choose the elegance of the shiniest finish



Drip tray



Two-position drip tray, for glasses and bottles

Narrow

70 cm wide



Autonomy for approximately 300 oranges squeezed



1 Trolley 55 L



Direct drain to the waste bucket

Optimise every square metre of your premises. Narrower podium



Width | Depth | Height 710 x 626 x 787 mm

Wide

80 cm wide



Autonomy for approximately 500 oranges squeezed



2 Trolley bins 100 L



Direct drain to the waste bucket

Give your juicer an impressive look



Width | Depth | Height 810 x 626 x 787 mm



Speed Pro Basic

The essence of the best juice

The classic juicer that delivers the best freshly squeezed juice in restaurants and cafés.

- ① FAST, EASY SERVICE
- ② HIGH-CAPACITY FEEDER (20 KG)
- ③ 40 PIECES OF FRUIT PER MINUTE
- ④ INTELLIGENT TOUCH DIGITAL DISPLAY

Two operating modes


Automatic: the juice is served directly into the glass or jug by pressing the START button.

Professional: the operator can set the exact number of pieces of fruit to be juiced.

Simple and easy to use




The spirit of Speed lives on



M Kit
65 - 81 mm

S Kit
45 - 67 mm

L Kit
75 - 95 mm



Quality and food hygiene guaranteed



in its classic versions



Speed Pro Cooler Podium

The freshness of chilled juice

Service areas, supermarkets... a serving of chilled, freshly squeezed juice is a great idea anywhere.

- ① READY TO DRINK, CHILLED, FRESHLY SQUEEZED JUICE
- ② ADJUSTABLE COOLER
- ③ SEVEN-LITRE TANK AND FILL-LEVEL SENSOR
- ④ 40 PIECES OF FRUIT PER MINUTE

Two operating modes

Automatic: the machine dispenses until the juice reaches the maximum fill level.

Professional: the operator can set the fill level.

Easy to move thanks to the wheeled podium



Technical specs



See accessories on page 49

Pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	20 kg 44 lb
Fruit diameter	65 - 81 mm
Dimensions Width Depth Height	593 x 584 x 980 mm 23.3" x 23" x 38.6"
Net weight	66.3 kg 146.1 lb

Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Energy consumption	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX4
Safety	Three safety devices and motor seizure sensor

Technical specs



See accessories on page 49

Pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	20 kg 44 lb
Fruit diameter	65 - 81 mm
Dimensions Width Depth Height	675 x 727 x 1837 mm 26.6" x 28.6" x 72.3"
Net weight	116.1 kg 259.6 lb

Voltage	220-240 V 50-60 Hz 120 V 60 Hz
Power	560 W 0.75 HP
Energy consumption	2.4 A / 4.6 A
Protection against moisture	IPX4
Safety	Three safety devices and motor seizure sensor

Speed Pomegranates

Experts in pomegranates

The first **high-performance** juicer designed specifically for juicing all types of pomegranate.

- ① POWERFUL AND ROBUST
- ② JUICES ALL TYPES OF POMEGRANATES
- ③ IDEAL FOR SERF-SERVICE CONTEXTS
- ④ TRIPLE FILTERING TO OBTAIN READY TO DRINK, PREMIUM QUALITY JUICE
- ⑤ JUICES POMEGRANATES UP TO 95 MM
- ⑥ A 250ML JUICE IN 8"



Maximum efficiency for the best pomegranate juice

Excellent autonomy with over 100 kg of non-stop production

30 pieces of fruit per minute

Pulp Cover ensures maximum hygiene



Pomegranates M Kit
Fruit diameter 75-95 mm

Pomegranates S Kit
Fruit diameter 65-85 mm



Quality and food hygiene guaranteed

Juicing system especially designed for pomegranates

TITANIUM
powered by ZUMEX®

The hardwearing titanium blade ensures excellent cutting and durability

Up tap with bottle holder available in three sizes

Lightweight, hardwearing podium. Available in two sizes, with a capacity of up to 100 litres



Original System®



Antibacterial technology



Type of demand VERY HIGH

Speed Pomegranates is available in:



Black

Automatic PulpOut system: triple filtering with extra large conveyor belt to remove seeds and optimise performance.

High performance motor 0.50 HP to cope with the most demanding juicing needs.

Speed Pomegranates S Kit 65-85 mm.

Technical specs



See accessories on page 49

Pieces of fruit per minute	30 pomegranates per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz
Feeder capacity	20 kg 44 lb	Power	370 W 0.50 HP
Fruit diameter	75 - 95 mm	Energy consumption	2.3 A / 2.9 A
Dimensions Width Depth Height	For model sizes, see page 61	Protection against moisture	IPX4
Net weight	For model weight, see page 61	Safety	Four safety sensors and motor seizure sensor

Zumex Pack recycled PET

A healthy future for the planet

These new rPET Zumex Pack bottles are made with recycled plastic, thus **reducing their environmental impact**, whilst preserving all of the juice's qualities and flavour.

Because what's good for you has to be good for everyone.



Available in 4 sizes



Preserves the organoleptic properties of the juice

Customise your label
Customise your label to suit the needs of your business.



- ① 30% RECYCLED MATERIAL
- ② REDUCED CARBON FOOTPRINT
- ③ PRESERVES THE JUICE'S QUALITIES AND FLAVOUR
- ④ INHIBITS THE GROWTH OF BACTERIA

Cap

Threaded cap with security band

Labelling options

No label, paper label or transparent label. Standard or customised design

Cap colours

Black (standard colour), orange and translucent white

Sizes

1l · 50 cl · 33 cl · 25 cl

Accessories

JUICING SYSTEMS



S 1Step Kit

Limes · Lemons · Oranges
45-67 mm

M 1Step Kit*

Lemons · Oranges · Grapefruits
65-81 mm

L 1Step Kit

Lemons · Oranges · Grapefruits
75-95 mm

1Step Kit

For faster and cleaner removal of the juicing system

S, M or L extraction kit. Thanks to this accessory, you can remove the juicing system in just 10 seconds and replace it with the other kit so your juicer is always operational.

*Available as a fast cleaning accessory. It also comes as standard in the following models:

Speed S ^{plus} / Versatile Pro

Versatile Pro is not compatible with the L 1Step kit



S Kit

For small fruit

Suitable for juicing limes, lemons, mandarins and small oranges (45 mm to 67 mm)

Essential Pro / Speed Pro / Speed Up



M Kit*

For medium-sized fruit

Suitable for processing lemons, oranges and grapefruit (65 mm to 81 mm)

*Comes as standard in the following models:

Essential Pro / Speed Pro / Speed Up



L Kit

For large fruit

Suitable for processing large oranges and grapefruit (75 mm to 95 mm)

Speed Pro / Speed Up



S Pomegranates Kit

Suitable for small pomegranates (65 mm to 85 mm)

Speed Pomegranates



Filter kit and Multifruit disc

Maximum shredding power for all fruit and vegetables and efficient centrifuging with the optimised filter.

Multifruit



Dynamic Cutting System DCS ^N

Processes tender or cold citrus fruits, even fruits with tougher skins. Ensures perfect cutting and maximum fruit performance.

Essential Pro / Versatile Pro / Speed Up



XS Kit* ^N

For squeezing limes

Specifically designed to get the maximum performance on limes from 42 to 52 mm.

Soul Series 2

*Comes as standard on Soul Series 2 Limes model

^N New



S Kit ^N

For small citrus fruits

Suitable for processing rounded and thin-skinned mandarin, lime and lemon varieties. Examples: Eureka, Lisbon, Meyer. 45 to 65 mm.

Soul Series 2



M Kit* ^N

For medium-sized fruits

Suitable for processing mainly 64-81 mm oranges.

Soul Series 2

*Comes as standard on Soul Series 2 model

Accessories

JUICE CORNER

Create your own juice corner with these accessories



Bottle rack

Bottle tray

Glass tray



For self-service contexts

Organise your bottles or glasses in a visible and tidy way. Available in the Speed and Versatile Pro ranges.



Two-position drip tray
Perfect service

Two-position drip tray for serving juice in glasses or bottles, with direct drain to the waste bucket.

Accessory for the Black podium



Bottle holder ^N
Highly versatile

Adapts to any type of bottle, thanks to the three interchangeable sizes.

Versatile Pro



Display cabinet
Chill your juice!

So that your bottles of freshly squeezed juice are always chilled and ready to take away.



Bottle rack set Mirror
Organised and at your fingertips

Set comprising bottle holders, storage space and paper dispenser.

Dimensions Width | Depth | Height
500 x 708.5 x 2029.5 mm
19.7" x 27.9" x 79.9"



Bottle rack set Black ^N
Now available in black

Set comprising bottle holders, storage space, paper dispenser and waste-basket.

Dimensions Width | Depth | Height
500 x 680 x 2135 mm
19.7" x 26.7" x 84"




Display convenience ^N
Lightweight bottle rack set

Bottle rack with interchangeable panel.

Dimensions Width | Depth | Height
300 x 500 x 1885 mm
11.9" x 19.7" x 74.2"

SAFETY AND FOOD HYGIENE ACCESSORIES



Speed basket cover

This accessory only includes the upper part of the basket.



Speed Basket case ^N

PVC case that covers and protects the fruit basket.



Versatile Pro Basket case ^N

PVC case that covers and protects the fruit basket.



Versatile Pro basket cover ^N

Prevents manual access to the feeder basket.



Pulp Cover Kit Speed

To cover the pulp area.



Display Speed lid

Lid to cover the display in self-service contexts.



Speed feeder cover

Available in size M and L.

Limit access to the operation of your Speed juicer and make your self-service corner a safer and more hygienic place.

PODIUMS

Speed range

Wide Black



Narrow Black



Wide Mirror



Narrow Mirror



See technical specifications on page 43

Versatile Pro



Orange



Silver



Graphite



Black

Choose your podium according to your style, area or the autonomy you require

Accessories

Juice Kart Natural juice wherever you need it

Exclusive wheel design, easy to move, to offer natural juice wherever your business requires it.

Width | Depth | Height
856 x 580.5 x 939 mm
33.7" x 22.8" x 36.9"



JUICE KART



Exclusive design set ^N

Thanks to its wheels your commercial juicer can go wherever your business needs it. It has an extra area for the storage of fruit, glasses, napkins, and other accessories.

Integrated waste container.
35 kg of fruit / 14 L of juice capacity.



Countertop kit
Multifruit

COUNTERTOP KIT

Continuous waste removal

The kit fixes the machine to the counter top, connecting it directly to the waste bucket installed under the counter.



Countertop kit
Soul Series 2



Countertop kit
Gama Speed



Countertop kit
Essential Pro / Versatile Pro

White
Black

Orange
Silver
Graphite
Black



JUICE CORNER

Distinguished area Soul Corner

Equip your commercial juicer with the best accessories to have everything you need at hand.



Glass dispenser
Includes napkin holder for easy juicing.



Cashless Mode Dispenser
Module with touchless payment method.



Premium Basket
Up to 8 kg capacity.

ELEVATION KITS



Elevation kit
Essential Pro / Versatile Pro

CLEANING PRODUCTS



Citric Active
Caring for your juicer
Formulated to remove traces of sugar, wax, pulp and other residues.

PAYMENT SYSTEM



Nayax cashless kit
Payment system compatible with the most common cashless payment methods.

Freshly squeezed juice

It is always a good time to enjoy freshly squeezed orange juice. Thanks to our **Healthy to go concept**, you can **enjoy freshly squeezed juice anywhere**.



Our juice vending machines can transform a dull corner into a fresher, more natural space. Companies, schools, shopping centres, hospitals and gyms are perfect environments to offer their customers and employees a healthier option.



Natural Vending

Healthy to go

Natural Vending is the perfect solution for a healthy lifestyle, 24 hours a day.

It comes with a **larger window** that showcases the juicing process and the freshness of the fruit, making it appealing to customers.

- ① NEW **HEALTHY SNACK CONCEPT**
- ② 100% **NATURAL FRESHLY SQUEEZED JUICE**
- ③ NEW **TELEMETRY KIT: GIVES YOU A REAL-TIME OVERVIEW OF YOUR MACHINE'S PERFORMANCE**
- ④ **NEW CASHLESS PAYMENT SYSTEM COMPATIBLE WITH THE MOST COMMON PAYMENT METHODS**



Original System®

Zumex's Original System® ensures that **no juice comes into contact with the peel**, offering premium quality juice with a great taste.



Original System®



ASP
Antibacterial technology

Cashless payment system compatible with contactless, NFC, magnetic stripe and chip methods: Nayax, Ingenico and OTI.
Traditional payment systems: MEI, NRI.

Telemetry kit: this kit gives you a real-time overview of your machine's performance and provides you with in-depth control of your business.

The cup filling system can be programmed:
Number of oranges per serving.
Smart cup filling system with two juice filling modes (normal or extra).

Three models, maximum transparency

Excellent capacity
can store up to 50 kg of fruit



Three models available
1 window
2 windows
Large window

Customisable
Choose your telemetry system, your cashless payment system and customise the backlit front

Manual cleaning with a spray gun or programmed cleaning by choosing the start time or after a specific number of juices have been served



New cashless payment system



Telemetry system



Maintains a constant temperature



100 kg waste bucket with wheels

Capacity
110 - 120 servings

Different cup sizes available

Technical specs

Number of servings	110 - 120 servings	Dimensions	950 x 790 x 1830 mm
Serving time	20 - 50 seconds	Width Depth Height	37.4" x 31.1" x 72"
Serving volume	Can be regulated to 170 ml or 190 ml	Net weight	260 kg 573 lb
Storage capacity	50 kg 110 lb	Voltage	220 V 60 Hz 230 V 50 Hz
Juice temperature	Can be regulated 7 - 16°C	Power	1450 W 1.94 HP
Refrigeration system	R134 gas (does not damage the ozone layer)	Energy consumption	6.6 A

Technical Summary



Multifruit



Soul
Series 2



Minex



Essential Pro



Versatile Pro



New Versatile Pro



Versatile Pro
Cashless



Speed Up



Speed Up
All-in-One

Smart Juicing Technology	-	Smart Juicer	-	Smart version available	-	Smart version available	-	Smart version available	Smart version available
Fruit	Fruit and vegetables	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus
Pieces of fruit per minute / output	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	M/S KIT: 18 fruits /min XS KIT: 36 fruits / min	13 pieces of fruit per minute	22 pieces of fruit per minute	22 pieces of fruit per minute	22 pieces of fruit per minute	22 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	-	3-6 oranges 7-8 limes	6 - 7 pieces of fruit	4 - 5 pieces of fruit	10 kg 22 lb	16 kg 35 lb	10 kg 22 lb	20 kg 44 lb	20 kg 44 lb
Fruit diameter	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	M KIT: 64 – 81 mm S KIT: 45 – 65 mm XS KIT: 42 – 52 mm	65 - 78 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm
Juicing system	Centrifugal juicer	Conical System®	Original System® and ASP®	Original System® and ASP®	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®
Compatible juicing kits	-	-	-	S Kit, M Kit	S and M 1Step Kit	S and M 1Step Kit	S and M 1Step Kit	S, M and L Kit	S, M and L Kit
Dimensions Width Depth Height	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	300 x 480 x 537 mm 11.8" x 18.9" x 21.1"	383 x 368 x 712 mm 15.1" x 14.5" x 28"	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	Versatile Pro 480 x 550 x 855 mm 18.9" x 21.7" x 33.7" Versatile Pro All-in-One 480 x 550 x 1660 mm 18.9" x 21.7" x 65.3"	New Versatile Pro 480 x 550 x 890 mm 18.9" x 21.7" x 35" New Versatile Pro All-in-One 480 x 550 x 1695 mm 18.9" x 21.7" x 66.7"	Versatile Pro Cashless 480 x 550 x 855 mm 18.9" x 21.7" x 33.7" Versatile Pro All-in-One Cashless 480 x 550 x 1660 mm 18.9" x 21.7" x 65.3"	593 x 624 x 1050 mm 23.3" x 24.6" x 41.3"	Narrow Black 710 x 682 x 1775 mm 28" x 26.8" x 69.9" Wide Black 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"
Net weight	15 kg 33 lb	32 kg 71 lb	19.5 kg 43 lb	45.5 kg 100 lb	Versatile Pro 54 kg 119 lb Versatile Pro All-in-One 87 kg 192 lb	New Versatile Pro 56.5 kg 124.5 lb New Versatile Pro All-in-One 89.5 kg 197 lb	Versatile Pro Cashless 54 kg 119 lb Versatile Pro All-in-One Cashless 87 kg 192 lb	76.7 kg 169.2 lb	*Narrow Black 129.1 kg 284.7 lb Wide Black 133 kg 293.3 lb
Voltage	220-240 V 50-60 Hz 115 V 60 Hz	100-240 VAC 50-60 Hz	Multivoltage 220-240 V 50-60 Hz 100-115 V 50-60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Power	870 W 1.17 HP	100 W 0.134 HP	44 W 0.06 HP	300 W 0.40 HP 320 W 0.43 HP	380 W 0.51 HP 320 W 0.43 HP	380 W 0.51 HP 320 W 0.43 HP	380 W 0.50 HP 320 W 0.43 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Energy consumption	1.8 A	0.4-3.4 A (100-130 VAC) 0.3-1.5 A (220-240 VAC)	0.2 A / 0.45 A	2.7 A	2.7 A	1.7 A / 2.7 A	2.7 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX1	IPX0	IPX0	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4
Safety	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay	Micro switch on front opening and motor seizure sensor	Three safety sensors and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor
Sound pressure level	Below 70 dB	Less than 60 dB	-	-	-	-	-	-	-
Colours	5 colours	2 colours: White and Black 2 finishes: Smoke Grey, Natural Sand Soul Limes: Light Green	12 colours	4 colours	4 colours	4 colours	4 colours	-	Black or Mirror podium

¹ Measurements for the Mirror model are the same as the **Speed S *Plus All-in-One**.

*Net weight may vary depending on the podium model selected for each juicer.

Technical Summary



Speed S^{+plus}



**Speed S^{+plus}
All-in-One**



**Speed S^{+plus}
Tank All-in-One**



**Speed Pro
Basic**



**Speed Pro
Cooler Podium**



**Speed
Pomegranates**



Natural Vending


Smart Juicing Technology	Smart version available	Smart version available	-	-	-	-	
Fruit	Citrus	Citrus	Citrus	Citrus	Citrus	Pomegranates	Citrus
Pieces of fruit per minute / output	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	30 pomegranates per minute	20 - 50 seconds per serving
Feeder capacity / Storage capacity	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	50 kg 110 lb
Fruit diameter	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	75 - 95 mm	-
Juicing system	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®	Original System® and ASP®	Original System® and ASP®
Compatible juicing kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L Kit	S, M and L Kit	S Speed Pomegranates Kit and M Speed Pomegranates Kit	-
Dimensions Width Depth Height	593 x 665 x 1050 mm 23.3" x 26.2" x 41.3"	2 Narrow Mirror 700 x 709 x 1774 mm 27.5" x 27.9" x 69.8" Wide Mirror 805 x 709 x 1774 mm 31.7" x 27.9" x 69.8"	675 x 699 x 1755 mm 26.6" x 26.3" x 69.1"	593 x 584 x 980 mm 23.3" x 23" x 38.6"	675 x 727 x 1837 mm 26.6" x 28.7" x 72.3"	Narrow Black 710 x 682 x 1775 mm 28 x 26.8 x 69.9 Wide Black 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"	950 x 790 x 1830 mm 37.4" x 31.1" x 72"
Net weight	83.5 kg 184.1 lb	*Narrow Mirror 111.8 kg 246.5 lb Wide Mirror 120.6 kg 266 lb	110.1 kg 242.8 lb	66.3 kg 146.1 lb	116.1 kg 259.6 lb	Narrow Black 131.1 kg 289 lb Wide Black 135 kg 297.6 lb	260 kg 573 lb
Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz	220-240 V 50-60 Hz 120 V 60 Hz	220 V 60 Hz 230 V 50 Hz
Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	560 W 0.75 HP	370 W 0.50 HP	1450 W 1.94 HP
Energy consumption	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	2.4 A / 4.6 A	2.3 A / 2.9 A	6.6 A
Protection against moisture	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	-
Safety	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Four safety sensors and motor seizure sensor	-
Colours	-	Black or Mirror podium	-	-	-	Black podium	-
Number of servings	-	-	-	-	-	-	110 - 120 servings
Serving volume	-	-	-	-	-	-	Can be regulated to 170 or 190 ml
Juice temperature	-	-	-	-	-	-	Can be regulated 7°C - 16°C
Refrigeration system	-	-	-	-	-	-	R134 gas (does not damage the ozone layer)


2 Measurements for the Black model are the same as for the **Speed Up All-in-One**.

*Net weight may vary depending on the podium model selected for each juicer.


Foodservice & Retail


AUTOMATIC CITRUS JUICERS AND COMMERCIAL JUICERS


 Soul Series 2	Reference	Model	Colour	Configuration
	10268	Soul Series 2 ^N	Black Smoke Grey Black Natural Sand White Smoke Grey White Natural Sand	UE-ES UE-ES UE-ES UE-ES
	10867	Soul Series 2 Limes edition ^N	Black Light Green	UE-ES


 Multifruit	Reference	Model	Colour	Configuration
	09875	Multifruit	Silver Black White Cherry Graphite	UE UE UE UE UE


 Minex	Reference	Model	Colour	Configuration
	04917	Minex	White Ruby red Green Blue Silver metallic Graphite metallic Bronze metallic Black Orange Light green Light blue Grey	UE UE UE UE UE UE UE UE UE UE UE UE


 Essential Pro	Reference	Model	Colour	Configuration
	04873	Essential Pro	Orange Silver Graphite Black	UE UE UE UE


 Smart Essential Pro	Reference	Model	Colour	Configuration
	10220	Smart Essential Pro ^N	Orange Silver Graphite Black	UE UE UE UE


 Versatile Pro	Reference	Model	Colour	Configuration
	09965	Versatile Pro	Orange Silver Graphite Black	UE UE UE UE
	09966	Versatile Pro All-in-One	Orange Silver Graphite Black	UE UE UE UE
	09968	Versatile Pro All-in-One(BH)* *Bottle Holder	Orange Silver Graphite Black	UE UE UE UE


 New Versatile Pro	Reference	Model	Colour	Configuration
	10216	New Versatile Pro ^N	Orange Silver Graphite Black	UE UE UE UE
	10781	New Versatile Pro All-in-One ^N	Orange Silver Graphite Black	UE UE UE UE
	10269	New Versatile Pro All-in-One(BH)* ^N *Bottle Holder	Orange Silver Graphite Black	UE UE UE UE


 New Smart Versatile Pro	Reference	Model	Colour	Configuration
	10230	New Smart Versatile Pro ^N	Orange Silver Graphite Black	UE UE UE UE
	10828	New Smart Versatile Pro All-in-One ^N	Orange Silver Graphite Black	UE UE UE UE
	10231	New Smart Versatile Pro All-in-One(BH)* ^N *Bottle Holder	Orange Silver Graphite Black	UE UE UE UE


 Versatile Pro Cashless	Reference	Model	Colour	Configuration
	10012	Versatile Pro Cashless	Black Orange	UE UE
	10011	Versatile Pro All-in-One Cashless	Black Orange	UE UE


 Speed Pro	Reference	Model	Configuration
	04837	Speed Pro Basic	UE
	05078	Speed Pro Cooler Podium	UE

 Speed Up	Reference	Model	Colour	Configuration
	08576	Speed Up		UE
	08818	Speed Up All-in-One Wide	Black	UE
	08820	Speed Up All-in-One Wide	Mirror	UE
	08821	Speed Up All-in-One Narrow	Black	UE
	08822	Speed Up All-in-One Narrow	Mirror	UE


 Smart Speed Up	Reference	Model	Colour	Configuration
	10865	Smart Speed Up ^N		UE
	10830	Smart Speed Up All-in-One Wide ^N	Black	UE
	10831	Smart Speed Up All-in-One Wide ^N	Mirror	UE
	10832	Smart Speed Up All-in-One Narrow ^N	Black	UE
	10833	Smart Speed Up All-in-One Narrow ^N	Mirror	UE


 Speed S +plus	Reference	Model	Colour	Configuration
	08825	Speed S +plus		UE
	08826	Speed S +plus All-in-One Wide	Mirror	UE
	08827	Speed S +plus All-in-One Wide	Black	UE
	08828	Speed S +plus All-in-One Narrow	Mirror	UE
	08829	Speed S +plus All-in-One Narrow	Black	UE
	08842	Speed S +plus Tank All-in-One		UE


 Smart Speed S ^{+plus}	Reference	Model	Colour	Configuration
	10864	Smart Speed S +plus ^N		UE
	10208	Smart Speed S +plus All-in-One Wide ^N	Mirror	UE
	10207	Smart Speed S +plus All-in-One Wide ^N	Black	UE
	10788	Smart Speed S +plus All-in-One Narrow ^N	Mirror	UE
	10789	Smart Speed S +plus All-in-One Narrow ^N	Black	UE


 Speed Pomegranates	Reference	Model	Colour	Configuration
	10007	Speed Pomegranates All-in-One Wide	Black	UE
	10013	Speed Pomegranates All-in-One Narrow	Black	UE

Foodservice & Retail ACCESSORIES


 Juicing systems	Reference	Model
	10853	Soul Series 2 M Kit ^N
	10852	Soul Series 2 S Kit ^N
	10851	Soul Series 2 XS Kit ^N
	10014	Essential Pro S Kit
	08220	Versatile Pro 1Step Kit
	10006	Versatile Pro S 1Step Kit
	10840	Speed Pro / Speed Up M Kit ^N
	05471	Speed Pro / Speed Up S Kit
	05742	Speed Pro / Speed Up L Kit
	07930	Speed S +plus 1Step Kit
	07942	Speed S +plus S 1Step Kit
	07943	Speed S +plus L 1Step Kit
	10273	Speed Pomegranates S Kit ^N
	00536:01	Dynamic Cutting System ^N


 Countertop kit	Reference	Model	Colour
	10849	Soul S2 Countertop kit ^N	White Black
	10846	Soul S2 Glass dispenser ^N	
	06953	Soul S2 Premium Basket ^N	
	04825	Essential Pro / Versatile Pro Countertop Kit	Orange Graphite
	05414	Speed Pro Countertop Kit	Silver Black
	05909	Speed Up / Speed S +plus Countertop Kit	
	06952	Multifruit Countertop Kit	
	05230	Essential Pro / Versatile Pro Elevation Kit	


 Protection and hygiene accessories	Reference	Model
	10160	Kit safety and hygiene Speed ^N
	10161	Kit safety and hygiene Versatile ^N
	08830	Speed M Elbow Cover Kit
	08831	Speed L Elbow Cover Kit
	08832	Speed Basket Cover
	09871	Closed basket speed ^N
	10010	Versatile Pro Basket Cover
	10112	Closed basket versatile pro ^N
	08613	Speed Up / Speed S +plus Pulp Cover Kit
	09960	Speed Display Cover


 Juice point of sale	Reference	Model
	04733	Versatile Bottle Rack (includes 3 trays)
	04732	Speed Up / Speed S +plus Bottle Rack (includes 3 trays)
	04727	Bottle Tray
	04728	Glass Tray
	08865	Two-position tray (Black podium)
	04897	Small Display Cabinet
	04901	Large Display Cabinet
	08794	Bottle rack mirror
	10256	Bottle rack black ^N
	10222	Display Convenience ^N
	09967	Bottle holder Versatile
	10232	Bottle holder New Versatile ^N

^N New

 Podium	Reference	Model	Colour
	10850	Juice Kart ^N	Black
	04904	Versatile Pro Podium	Orange
			Silver
			Graphite
			Black
			Mirror
			Black
			Mirror
			Black
			Mirror
			Black
	08814	Speed Up / Speed S +plus Wide Podium	
	08580	Speed Up / Speed S +plus Wide Podium	
	08815	Speed Up / Speed S +plus Narrow Podium	
	08816	Speed Up / Speed S +plus Narrow Podium	


 Minex Colours	Reference	Model	Colour
	04919	Minex Colour Kit	White Bronze
			Ruby Red Black
			Green Orange
			Blue Light Green
			Silver Light Blue
			Graphite Grey

 Cleaning	Reference	Model
	10009	Filter Kit and Multifruit Disc
	09853	Citric Active/Bottle*
		* Minimum purchase: Pack 6 bottles.

 Payment systems	Reference	Model
	10847	Cup dispenser Nayax Soul S2 ^N
	08467	Nayax Cashless Kit


Zumex Pack

CUSTOMISABLE SUSTAINABLE BOTTLES


 Zumex Pack recycled PET	Reference	Model
	08955	Zumex Pack recycled PET 25 cl no label
	08956	Zumex Pack recycled PET 33 cl no label
	08957	Zumex Pack recycled PET 50 cl no label
	08958	Zumex Pack recycled PET 11 no label
	08959	Zumex Pack recycled PET 25 cl with Zumex label
	08960	Zumex Pack recycled PET 33 cl with Zumex label
	08962	Zumex Pack recycled PET 50 cl with Zumex label
	08963	Zumex Pack recycled PET 11 with Zumex label

Vending

FRESHLY SQUEEZED JUICE VENDING MACHINES

 Vending	Reference	Model	Configuration
	04823	Zumex Vending V.2 (1 Window)	1V-UE
	04823	Zumex Vending V.2 (2 Windows)	2V-UE
	04823	Zumex Vending VG (Large window)	VG-UE

ACCESSORIES Vending

 Vending	Reference	Model
	08597	Telemetry Kit
	02751	Translucent cup 180 ml (Box 3000 units)
	00451	Cleaning System Kit
		Coin Payment System (€)
		Note Payment System (€)
	08909	Nayax Cashless Kit

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://zumex.nt-rt.ru> || zxe@nt-rt.ru